

**Dr. Duke's Phytochemical and Ethnobotanical Databases**

**Chemicals found in *Porophyllum ruderale***

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Refernce Citation
0	(Z)-BETA-OCIMENE	Plant	80.0	120.0	1.4074844462950056	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr.</i> J. 14: 393-8.
0	(E)-ANETHOLE	Plant	6.0	9.0		Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr.</i> J. 14: 393-8.
0	ALPHA-TERPINOLENE	Plant	24.0	36.0	1.0	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr.</i> J. 14: 393-8.
0	(E)-BETA-OCIMENE	Plant	3.0	4.0	-0.608347505108489	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr.</i> J. 14: 393-8.
0	(E)-NEROLIDIOL	Plant	3.0	4.0		Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr.</i> J. 14: 393-8.
0	TRANS-PINENE-HYDRATE	Plant	9.0	14.0		Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr.</i> J. 14: 393-8.
0	EO	Plant	3000.0	4500.0	-0.3981365686284871	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr.</i> J. 14: 393-8.
0	CIS-PINENE-HYDRATE	Plant	12.0	18.0		Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr.</i> J. 14: 393-8.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
0	UNDECENE	Plant	65.0	100.0		Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
0	THYMOL-METHYL-ETHER	Plant	3.0	4.0	-0.4874874199463095	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
0	(E)-CARYOPHYLLENE	Plant	15.0	22.0		Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
0	ALPHA-THUJENE	Plant		15.0	-0.5556749240489263	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
1	N-DECANAL	Plant	38.0	55.0		Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
2	GERMACRENE-D	Plant				Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
2	DECANOL	Plant	3.0	4.0	1.402545576051261	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
5	SABINENE	Plant	1925.0	2885.0	1.6423684680084183	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
8	4-TERPINEOL	Plant	310.0	465.0	-1.0	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.

Activities Count	Chemical	Plant Part	Low PPM	High PPM	StdDev	Reference Citation
11	GAMMA-TERPINENE	Plant	100.0	155.0	-0.4709241741033349	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
11	ALPHA-PHELLANDRENE	Plant	3.0	4.0	-1.1416617696899867	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
13	ALPHA-TERPINENE	Plant	55.0	85.0	-0.37349668906891464	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
13	BETA-PINENE	Plant	3.0	4.0	-0.4311676731123628	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
16	P-CYMENE	Plant	40.0	65.0	-0.40333474653128587	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
22	MYRCENE	Plant	35.0	55.0	-0.41567657159939037	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
28	ALPHA-PINENE	Plant	27.0	40.0	-0.45316792467184336	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.
60	LIMONENE	Plant	9.0	13.0	-0.4778142658298603	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. &amp; Fragr. J.</i> 14: 393-8.